Product Name	All-in-one Solar Light
Product No	AN-ISGL05
Manual No	02
Date	2020.01







Our Advantage




Main features:

- 1.Integrated lamp body design.
- 2. Using high brightness led chip, low light decay, long service life.
- 3.Big capacity and deep cycle lithium battery, more durable service life.
- 4. Top quality solar cells, smaller size but higher efficiency.
- 5. Night sensor + PIR motion sensor.




Component Details





Remote controller





Basic Parameters

Electrical Characteristic	
Rated Power	60W
Solar Panel	12W
LifePo4 Battery	3.2V 10000mah
Charging Time	6-8H
Lighting Time	2-3 nights
Working Temperature	0°C~+65°C
Sensing Distance	6-8 M
Package	31*27*55cm/4pcs/12.6kg

Electrical Characteristic	
Rated Power	120W
Solar Panel	18W
LifePo4 Battery	3.2V 15000mah
Charging Time	6-8H
Lighting Time	2-3 nights
Working Temperature	0℃~+65℃
Sensing Distance	6-8 M
Package	67*26*30cm/3pcs/13.5kg

Electrical Characteristic	
Rated Power	180W
Solar Panel	24W
LifePo4 Battery	3.2V 20000mah
Charging Time	6-8H
Lighting Time	2-3 nights
Working Temperature	0°C [~] +65°C
Sensing Distance	6-8 M
Package	79*27*32cm/3pcs/18.6kg





